

Complete Three-Dimensional Bandgap in One-Dimensional Negative-Index Periodic Structures

Andrey A. Sukhorukov, Ilya V. Shadrivov, and Yuri S. Kivshar

Nonlinear Physics Centre, Research School of Physical Sciences and Engineering

Australian National University, Canberra, ACT 0200, AUSTRALIA.

Negative-index (or left-handed) metamaterials with simultaneously negative real parts of dielectric permittivity and magnetic permeability can be used for novel applications, including enhanced sub-wavelength imaging. We reveal, for the first time to our knowledge, that a one-dimensional periodic structure with layers of negative-index material can possess, under certain conditions, *a complete three-dimensional bandgap* for both TE- and TM-polarized waves. In this case, the Green function characterizing radiation of a point source becomes exponentially localized because the electromagnetic waves cannot propagate through the structure at any angle. The existence of *one-dimensional structures made of transparent materials and possessing a complete three-dimensional spectral band gap* is a highly nontrivial and unexpected finding, which was not reported earlier. Our results are in a sharp contrast with all known properties of one-dimensional dielectric periodic structures, which can only possess partial spectral gaps that provide omni-directional reflection for a limited range of the incident angles. Indeed, light can always propagate through a dielectric structure due to coupling between guided modes supported by individual dielectric slabs, however we find that this tunneling mechanism can be suppressed in left-handed structures for certain values of dielectric permittivity and magnetic permeability when negative-index slabs do not support any guided modes, giving rise to complete two- and even three-dimensional bandgaps.